


Tree Survey Report

Client: Ivybridge Town Council
 Site: Orchid Avenue



Ref.	What 3 Words	Species	Description	Measurements	Survey Notes	Str. Condition	Phys. Condition	Target Range	Size	PoF	RoH	Inspect Period	Recommendations	Photo
G001	///fountain.t rickled.impo ses	Mixed species x5 (Mixed species)	Target # - building Target # - car park Target # - dwelling	Height (m): 15 Crown Radius (m): 5 Diameter (mm): 300 Trees: 5 Life Stage: Early Mature Life Exp.: 10+ Years	Vitality fair - stem in centre of bank significantly leaning towards dwelling and not adjusted upright making failure more likely. Ash Dieback Health Class 1: 75% to 100%	Poor	Good	Property(3) £20,000 - £2,000	Property	PoF(2) 1/10 - 1/100	1/3K	1 Year	Dismantle and fell leaning Ash tree. - see photo Timescale: Management	
G002	///culminate .store.feaste d	Crab apple x2 (Malus sylvestris) Silver birch x2 (Betula pendula) Plum (Prunus domestica)	Target # - dwelling	Height (m): 8 Crown Radius (m): 3 Diameter (mm): 280 Trees: 5 Life Stage: Semi Mature Life Exp.: 20+ Years	Vitality good	Good	Good	Property(3) £20,000 - £2,000	Property	PoF(6) 1/100K - 1/1M	1/30M	3 Years	No action required. Timescale: Management	No Photo
G003	///blurred.m odest.beaks	Field maple x11 (Acer campestre) Hazel x8 (Corylus avellana) Common beech x3 (Fagus sylvatica)	Target # - dwelling Target # - footpath	Height (m): 10 Crown Radius (m): 3 Diameter (mm): 180 Trees: 22 Life Stage: Semi Mature Life Exp.: 20+ Years	Vitality good	Good	Good	Property(4) £2,000 - £200	Property	PoF(6) 1/100K - 1/1M	1/300M	3 Years	No action required. Timescale: Management	No Photo